

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Invalid Usage of Codes

**V0501** — ~~UNDETERMINED INJURY BY LEGAL AUTHORITY — E CODE INVALID TO USE WITHOUT LEGAL INVESTIGATION~~ - *effective change as of 10/1/96*

Guideline: Categories E980-E989 (injury undetermined whether accidentally or purposely inflicted) must not be used as catchall or "wastebasket" codes. These codes are intended solely for use in those situations in which an investigation by law enforcement officers has not arrived at a firm conclusion about whether the injury was accidentally or intentionally inflicted.

Use of E Codes With Poisoning Code: Four sets of E codes are available for each drug in the Table of Drugs and Chemicals:

- Accidental Poisoning (E850-E858)
- Suicide or attempt and self-inflicted injury (E950.0-E950.5)
- Assault by poisoning (drugs) (E962.0)
- Undetermined by legal authority (E980.0-E980.5)

When the information needed to classify these is not available, it is usually safe to assume that the poisoning was Accidental Poisoning (E850-E858). Read the coding note under the title for the category E980-E989 in the Tabular List.

-----  
E Code Table 3006 only  
-----

ICD-9-CM Codes

ICD-9-CM Interpretations

E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted
E980.0	Analgesics, antipyretics, and antirheumatics
E980.1	Barbiturates
E980.2	Other sedatives and hypnotics
E980.3	Tranquilizers and other psychotropic agents
E980.3	Tranquilizers and other psychotropic agents
E980.4	Other specified drug and medicinal substances
E980.5	Unspecified drug or medicinal substance
E980.6	Corrosive and caustic substances
E980.7	Agricultural and horticultural chemical and pharmaceutical preparations
	other than plant foods and fertilizers
E980.8	Arsenic and its compounds
E980.9	Other and unspecified solid and liquid substances

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Invalid Usage of Codes

~~V0501~~ ~~UNDETERMINED INJURY BY LEGAL AUTHORITY -- E CODE INVALID TO~~  
~~USE WITHOUT LEGAL INVESTIGATION~~ - *effective change as of 10/1/96*

-----  
E Code Table 3006 only  
-----

- E981    Poisoning by gases in domestic use, undetermined whether accidentally or  
          purposely inflicted  
          E981.0        Gas distributed by pipeline  
          E981.1        Liquefied petroleum gas distributed in mobile containers  
          E981.8        Other utility gas
- E982    Poisoning by other gases, undetermined whether accidentally or purposely inflicted  
          E982.0        Motor vehicle exhaust gas  
          E982.1        Other carbon monoxide  
          E982.8        Other specified gases and vapors  
          E982.9        Unspecified gases and vapors
- E983    Hanging, strangulation, or suffocation, undetermined whether accidentally or  
          purposely inflicted  
          E983.0        Hanging  
          E983.1        Suffocation by plastic bag  
          E983.8        Other specified means  
          E983.9        Unspecified means
- E984    Submersion (drowning), undetermined whether accidentally or purposely inflicted
- E985    Injury by firearms and explosives, undetermined whether accidentally or purposely  
          inflicted  
          E985.0        Handgun  
          E985.1        Shotgun  
          E985.2        Hunting rifle  
          E985.3        Military firearms  
          E985.4        Other and unspecified firearm  
          E985.5        Explosives
- E986    Injury by cutting and piercing instruments, undetermined whether accidentally or  
          purposely inflicted

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Invalid Usage of Codes

**V0501** — ~~UNDETERMINED INJURY BY LEGAL AUTHORITY — E CODE INVALID TO  
USE WITHOUT LEGAL INVESTIGATION~~ - *effective change as of 10/1/96*

-----  
E Code Table 3006 only  
-----

E987	Falling from high place, undetermined whether accidentally or purposely inflicted
E987.0	Residential premises
E987.1	Other man-made structures
E987.2	Natural sites
E987.9	Unspecified site
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted
E988.0	Jumping or lying before moving object
E988.1	Burns, fire
E988.2	Scald
E988.3	Extremes of cold
E988.4	Electrocution
E988.5	Crashing of motor vehicle
E988.6	Crashing of aircraft
E988.7	Caustic substances, except poisoning
E988.8	Other specified means
E988.9	Unspecified means

-----

References: ICD-9-CM Codebook, Tabular section, E Code chapter, Code E980-E989.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1989, page 76.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1991, page 82 and 333.

Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, Official Guidelines for Coding and Reporting Causes of Injuries, Poisonings, and Adverse Effects of Drugs, Item #11.8 (1.), page 40.

New change: Coding Clinic for ICD-9-CM, E Coding Guideline #11.6-11.7, 4th Quarter 1996, pages 77-78.

\*\*\*

**STOP!!!**

**NEXT V-EDIT IS V0540**

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES**

Guideline: An "E" code from the therapeutic column is never assigned with a poisoning code (960-979).

Manifestations following adverse reactions and poisonings may be identical but have different coding applications.

Adverse Reaction

If the patient who took the prescribed medication CORRECTLY is having an adverse effect to the medication, the manifestation is coded with the appropriate E code assigned from E930-E949.

Poisoning

If a patient who took the medication INCORRECTLY is experiencing a drug poisoning, a drug code is assigned from codes 960-979, then the manifestation is coded next, and the appropriate E code is assigned from E850-E869, E873, E950-E952, and E962.

If a patient takes alcohol with any medication, even though the medication is taken correctly, this is classified as poisoning.

If a patient takes a prescribed drug with a non-prescribed drug, the interaction is classified as a poisoning.

The term "Toxicity" may be used by physicians to refer to either a true poisoning or a toxic adverse reaction. Check the record or query the physician to determine which situation has occurred.

The code for an unspecified adverse effect of a drug (995.2) should be avoided if at all possible when coding an adverse reaction, as it adds little in the way of meaningful information to the development of a complete data base. Check the record or query the physician to determine the actual manifestation suffered by the patient. OSHPD patient discharge data showed 4,359 records with code 995.2 in 1993.

Undetermined codes (E980.0-E980.5) codes are not used when coding poisoning; poisoning is presumed to be accidental if not otherwise specified. See page 250 for coding edit V0501.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES –  
(CONTINUED)**

Guideline: An "E" code from the therapeutic column is never assigned with a poisoning code (960-979). (See full guideline on page 461.)

---

V0540-V0710 Exclusive Check (if match, error) - T001-T171

---

**V0540 (T001) - Penicillin Poison with Therapeutic E Code**

E Code Table 3006	E930.0	Therapeutic use of penicillins
Relational Table 3003	960.0	Penicillins

---

**V0541 (T002) - Antifungal Antibiotic Poison with Therapeutic E Code**

E Code Table 3006	E930.1	Therapeutic use of antifungal antibiotics
Relational Table 3003	960.1	Antifungal antibiotics

---

**V0542 (T003) - Chloramphenicol Poison with Therapeutic E Code**

E Code Table 3006	E930.2	Therapeutic use of chloramphenicol group
Relational Table 3003	960.2	Chloramphenicol group

---

**V0543 (T004) - Erythromycin Poison with Therapeutic E Code**

E Code Table 3006	E930.3	Therapeutic use of erythromycin and other macrolides
Relational Table 3003	960.3	Erythromycin and other macrolides

---

**V0544 (T005) - Tetracycline Poison with Therapeutic E Code**

E Code Table 3006	E930.4	Therapeutic use of tetracycline group
Relational Table 3003	960.4	Tetracycline group

---

**V0545 (T006) - Cephalosporin Poison with Therapeutic E Code**

E Code Table 3006	E930.5	Therapeutic use of cephalosporin group
Relational Table 3003	960.5	Cephalosporin group

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0546 (T007) - Antimycobacterial Antibiotic Poison with Therapeutic E Code**

E Code Table 3006	E930.6	Therapeutic use of antimycobacterial antibiotics
Relational Table 3003	960.6	Antimycobacterial antibiotics

---

**V0547 (T008) - Antineoplastic Poison with Therapeutic E Code**

E Code Table 3006	E930.7	Therapeutic use of antineoplastic antibiotics
Relational Table 3003	960.7	Antineoplastic antibiotics

---

**V0548 (T009) - Other Specified Antibiotic Poison with Therapeutic E Code**

E Code Table 3006	E930.8	Therapeutic use of other specified antibiotics
Relational Table 3003	960.8	Other specified antibiotics

---

**V0549 (T010) - Unspecified Antibiotic Poison with Therapeutic E Code**

E Code Table 3006	E930.9	Therapeutic use of unspecified antibiotic
Relational Table 3003	960.9	Unspecified antibiotic

---

**V0550 (T011) - Sulfonamides Poison with Therapeutic E Code**

E Code Table 3006	E931.0	Therapeutic use of sulfonamides
Relational Table 3003	961.0	Sulfonamides

---

**V0551 (T012) - Arsenical Anti-infective Poison with Therapeutic E Code**

E Code Table 3006	E931.1	Therapeutic use of arsenical anti-infectives
Relational Table 3003	961.1	Arsenical anti-infectives

---

**V0552 (T013) - Heavy Metal Anti-infective Poison with Therapeutic E Code**

E Code Table 3006	E931.2	Therapeutic use of heavy metal anti-infectives
Relational Table 3003	961.2	Heavy metal anti-infectives

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0553 (T014) - Quinoline/Hydroxyquinoline Poison with Therapeutic E Code**

E Code Table 3006	E931.3	Therapeutic use of quinoline and hydroxyquinoline derivatives
Relational Table 3003	961.3	Quinoline and hydroxyquinoline derivatives

---

**V0554 (T015) - Antimalarial Poison with Therapeutic E Code**

E Code Table 3006	E931.4	Therapeutic use of antimalarials and drugs acting on other blood protozoa
Relational Table 3003	961.4	Antimalarials and drugs acting on other blood protozoa

---

**V0555 (T016) - Antiprotozoal Poison with Therapeutic E Code**

E Code Table 3006	E931.5	Therapeutic use of other antiprotozoal drugs
Relational Table 3003	961.5	Other antiprotozoal drugs

---

**V0556 (T017) - Anthelmintic Poison with Therapeutic E Code**

E Code Table 3006	E931.6	Therapeutic use of anthelmintics
Relational Table 3003	961.6	Anthelmintics

---

**V0557 (T018) - Antiviral Drug Poison with Therapeutic E Code**

E Code Table 3006	E931.7	Therapeutic use of antiviral drugs
Relational Table 3003	961.7	Antiviral drugs

---

**V0558 (T019) - Other Antimycobacterial Drug Poison with Therapeutic E Code**

E Code Table 3006	E931.8	Therapeutic use of other antimycobacterial drugs
Relational Table 3003	961.8	Other antimycobacterial drugs

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0559** (T020) - Other and Unspecified Anti-infective Poison with Therapeutic E Code

E Code Table 3006	E931.9	Therapeutic use of other and unspecified anti-infectives
Relational Table 3003	961.9	Other and unspecified anti-infectives

---

**V0560** (T021) - Adrenal Cortical Steroid Poison with Therapeutic E Code

E Code Table 3006	E932.0	Therapeutic use of adrenal cortical steroids
Relational Table 3003	962.0	Adrenal cortical steroids

---

**V0561** (T022) - Androgen and Anabolic Congener Poison with Therapeutic E Code

E Code Table 3006	E932.1	Therapeutic use of androgens and anabolic congeners
Relational Table 3003	962.1	Androgens and anabolic congeners

---

**V0562** (T023) - Ovarian Hormone & Synthetic Substitute Poison with Therapeutic E Code

E Code Table 3006	E932.2	Therapeutic use of ovarian hormones and synthetic substitutes
Relational Table 3003	962.2	Ovarian hormones and synthetic substitutes

---

**V0563** (T024) - Insulin and Antidiabetic Agent Poison with Therapeutic E Code

E Code Table 3006	E932.3	Therapeutic use of insulins and antidiabetic agents
Relational Table 3003	962.3	Insulins and antidiabetic agents

---

**V0564** (T025) - Anterior Pituitary Hormone Poison with Therapeutic E Code

E Code Table 3006	E932.4	Therapeutic use of anterior pituitary hormones
Relational Table 3003	962.4	Anterior pituitary hormones

---

**V0565** (T026) - Posterior Pituitary Hormone Poison with Therapeutic E Code

E Code Table 3006	E932.5	Therapeutic use of posterior pituitary hormones
Relational Table 3003	962.5	Posterior pituitary hormones

---



OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0566 (T027) - Parathyroid and its Derivative Poison with Therapeutic E Code**

E Code Table 3006	E932.6	Therapeutic use of parathyroid and parathyroid derivatives
-------------------	--------	--

Relational Table 3003	962.6	Parathyroid and parathyroid derivatives
-----------------------	-------	---

---

**V0567 (T028) - Thyroid and its Derivative Poison with Therapeutic E Code**

E Code Table 3006	E932.7	Therapeutic use of thyroid and thyroid derivatives
-------------------	--------	--

Relational Table 3003	962.7	Thyroid and thyroid derivatives
-----------------------	-------	---------------------------------

---

**V0568 (T029) - Antithyroid Agent Poison with Therapeutic E Code**

E Code Table 3006	E932.8	Therapeutic use of antithyroid agents
-------------------	--------	---------------------------------------

Relational Table 3003	962.8	Antithyroid agents
-----------------------	-------	--------------------

---

**V0569 (T030) - Other & Unspecified Hormone Poison with Therapeutic E Code**

E Code Table 3006	E932.9	Therapeutic use of other and unspecified hormones and synthetic substitutes
-------------------	--------	---

Relational Table 3003	962.9	Other and unspecified hormones and synthetic substitutes
-----------------------	-------	--

---

**V0570 (T031) - Antiallergic/Antiemetic Drug Poison with Therapeutic E Code**

E Code Table 3006	E933.0	Therapeutic use of antiallergic and antiemetic drugs
-------------------	--------	--

Relational Table 3003	963.0	Antiallergic and antiemetic drugs
-----------------------	-------	-----------------------------------

---

**V0571 (T032) - Antineoplastic/Immunosuppressive Drug Poison with Therapeutic E Code**

E Code Table 3006	E933.1	Therapeutic use of antineoplastic and immunosuppressive drugs
-------------------	--------	---

Relational Table 3003	963.1	Antineoplastic and immunosuppressive drugs
-----------------------	-------	--

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0572 (T033) - Acidifying Agent Poison with Therapeutic E Code**

E Code Table 3006	E933.2	Therapeutic use of acidifying agents
Relational Table 3003	963.2	Acidifying agents

---

**V0573 (T034) - Alkalizing Agent Poison with Therapeutic E Code**

E Code Table 3006	E933.3	Therapeutic use of alkalizing agents
Relational Table 3003	963.3	Alkalizing agents

---

**V0574 (T035) - Enzyme Poison with Therapeutic E Code**

E Code Table 3006	E933.4	Therapeutic use of enzymes
Relational Table 3003	963.4	Enzymes

---

**V0575 (T036) - Vitamin Poison with Therapeutic E Code**

E Code Table 3006	E933.5	Therapeutic use of vitamins
Relational Table 3003	963.5	Vitamins

---

**V0576 (T037) - Other Systemic Agent Poison with Therapeutic E Code**

E Code Table 3006	E933.8	Therapeutic use of other systemic agents
Relational Table 3003	963.8	Other systemic agents

---

**V0577 (T038) - Unspecified Systemic Agent Poison with Therapeutic E Code**

E Code Table 3006	E933.9	Therapeutic use of unspecified systemic agent
Relational Table 3003	963.9	Unspecified systemic agent

---

**V0578 (T039) - Iron and its Compound Poison with Therapeutic E Code**

E Code Table 3006	E934.0	Therapeutic use of iron and its compounds
Relational Table 3003	964.0	Iron and its compounds

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0579 (T040) - Liver Preparation/Antianemic Agent Poison with Therapeutic E Code**

E Code Table 3006	E934.1	Therapeutic use of liver preparations and other antianemic agents
Relational Table 3003	964.1	Liver preparations and other antianemic agents

---

**V0580 (T041) - Anticoagulant Poison with Therapeutic E Code**

E Code Table 3006	E934.2	Therapeutic use of anticoagulants
Relational Table 3003	964.2	Anticoagulants

---

**V0581 (T042) - Vitamin K Poison with Therapeutic E Code**

E Code Table 3006	E934.3	Therapeutic use of vitamin K
Relational Table 3003	964.3	Vitamin K

---

**V0582 (T043) - Fibrinolysis-affecting Drug Poison with Therapeutic E Code**

E Code Table 3006	E934.4	Therapeutic use of fibrinolysis-affecting drugs
Relational Table 3003	964.4	Fibrinolysis-affecting drugs

---

**V0583 (T044) - Anticoagulant Antagonist Poison with Therapeutic E Code**

E Code Table 3006	E934.5	Therapeutic use of anticoagulant antagonists and other coagulants
Relational Table 3003	964.5	Anticoagulant antagonists and other coagulants

---

**V0584 (T045) - Gamma Globulin Poison with Therapeutic E Code**

E Code Table 3006	E934.6	Therapeutic use of gamma globulin
Relational Table 3003	964.6	Gamma globulin

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0585 (T046) - Natural Blood and Blood Product Poison with Therapeutic E Code**

E Code Table 3006	E934.7	Therapeutic use of natural blood and blood products
Relational Table 3003	964.7	Natural blood and blood products

---

**V0586 (T047) - Other Agent Affecting Blood Constituent Poison with Therapeutic E Code**

E Code Table 3006	E934.8	Therapeutic use of other agents affecting blood constituents
Relational Table 3003	964.8	Other agents affecting blood constituents

---

**V0587 (T048) - Unspecified Agent Affect Blood Constituent Poison with Therapeutic E Code**

E Code Table 3006	E934.9	Therapeutic use of unspecified agent affecting blood constituents
Relational Table 3003	964.9	Unspecified agent affecting blood constituents

---

**V0588 (T049) - Heroin Poison with Therapeutic E Code**

E Code Table 3006	E935.0	Therapeutic use of heroin
Relational Table 3003	965.01	Heroin

---

**V0589 (T050) - Methadone Poison with Therapeutic E Code**

E Code Table 3006	E935.1	Therapeutic use of methadone
Relational Table 3003	965.02	Methadone

---

**V0590 (T051) - Opiates/Related Narcotics Poison with Therapeutic E Code**

E Code Table 3006	E935.2	Therapeutic use of other opiates and related narcotics
Relational Table 3003	965.00	Opium [alkaloids]
	965.09	Other opiates and related narcotics

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0591 (T052) - Salicylate Poison with Therapeutic E Code**

E Code Table 3006	E935.3	Therapeutic use of salicylates
Relational Table 3003	965.1	Salicylates

---

**V0592 (T053) - Aromatic Analgesic Poison with Therapeutic E Code**

E Code Table 3006	E935.4	Therapeutic use of aromatic analgesics
Relational Table 3003	965.4	Aromatic analgesics

---

**V0593 (T054) - Pyrazole Derivative Poison with Therapeutic E Code**

E Code Table 3006	E935.5	Therapeutic use of pyrazole derivatives
Relational Table 3003	965.5	Pyrazole derivatives

---

**V0594 (T055) - Antirheumatic Poison with Therapeutic E Code**

E Code Table 3006	E935.6	Therapeutic use of antirheumatics [antiphlogistics]
Relational Table 3003	965.6x	Antirheumatics [antiphlogistics]

---

**V0595 (T056) - Non-Narcotic Analgesic Poison with Therapeutic E Code**

E Code Table 3006	E935.7	Therapeutic use of other non-narcotic analgesics
Relational Table 3003	965.7	Other non-narcotic analgesics

---

**V0596 (T057) - Other Specified Analgesic/Antipyretic Poison with Therapeutic E Code**

E Code Table 3006	E935.8	Therapeutic use of other specified analgesics and antipyretics
Relational Table 3003	965.8	Other specified analgesics and antipyretics

---

**V0597 (T058) - Unspecified Analgesic and Antipyretic Poison with Therapeutic E Code**

E Code Table 3006	E935.9	Therapeutic use of unspecified analgesic and antipyretic
Relational Table 3003	965.9	Unspecified analgesic and antipyretic

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0598 (T059) - Oxazolidine Derivative Poison with Therapeutic E Code**

E Code Table 3006	E936.0	Therapeutic use of oxazolidine derivatives
Relational Table 3003	966.0	Oxazolidine derivatives

---

**V0599 (T060) - Hydantoin Derivative Poison with Therapeutic E Code**

E Code Table 3006	E936.1	Therapeutic use of hydantoin derivatives
Relational Table 3003	966.1	Hydantoin derivatives

---

**V0600 (T061) - Succinimide Poison with Therapeutic E Code**

E Code Table 3006	E936.2	Therapeutic use of succinimides
Relational Table 3003	966.2	Succinimides

---

**V0601 (T062) - Other Anticonvulsants Poison with Therapeutic E Code**

E Code Table 3006	E936.3	Therapeutic use of other and unspecified anticonvulsants
Relational Table 3003	966.3	Other and unspecified anticonvulsants

---

**V0602 (T063) - Anti-Parkinsonism Drug Poison with Therapeutic E Code**

E Code Table 3006	E936.4	Therapeutic use of anti-parkinsonism drugs
Relational Table 3003	966.4	Anti-parkinsonism drugs

---

**V0603 (T064) - Barbiturate Poison with Therapeutic E Code**

E Code Table 3006	E937.0	Therapeutic use of barbiturates
Relational Table 3003	967.0	Barbiturates

---

**V0604 (T065) - Chloral Hydrate Grouper Poison with Therapeutic E Code**

E Code Table 3006	E937.1	Therapeutic use of chloral hydrate group
Relational Table 3003	967.1	Chloral hydrate group

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0605 (T066) - Paraldehyde Poison with Therapeutic E Code**

E Code Table 3006	E937.2	Therapeutic use of paraldehyde
Relational Table 3003	967.2	Paraldehyde

---

**V0606 (T067) - Bromine Compound Poison with Therapeutic E Code**

E Code Table 3006	E937.3	Therapeutic use of bromine compounds
Relational Table 3003	967.3	Bromine compounds

---

**V0607 (T068) - Methaqualone Compound Poison with Therapeutic E Code**

E Code Table 3006	E937.4	Therapeutic use of methaqualone compounds
Relational Table 3003	967.4	Methaqualone compounds

---

**V0608 (T069) - Glutethimide Poison with Therapeutic E Code**

E Code Table 3006	E937.5	Therapeutic use of glutethimide group
Relational Table 3003	967.5	Glutethimide group

---

**V0609 (T070) - Mixed Sedative Poison with Therapeutic E Code**

E Code Table 3006	E937.6	Therapeutic use of mixed sedatives
Relational Table 3003	967.6	Mixed sedatives

---

**V0610 (T071) - Other Sedative and Hypnotic Poison with Therapeutic E Code**

E Code Table 3006	E937.8	Therapeutic use of other sedatives and hypnotics
Relational Table 3003	967.8	Other sedatives and hypnotics

---

**V0611 (T072) - Unspecified Sedative/Hypnotic Poison with Therapeutic E Code**

E Code Table 3006	E937.9	Therapeutic use of unspecified sedative and hypnotic
Relational Table 3003	967.9	Unspecified sedative and hypnotic

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0612 (T073) - Central Nervous System Muscle Depressant Poison with Therapeutic E Code**

E Code Table 3006	E938.0	Therapeutic use of central nervous system muscle-tone depressants
Relational Table 3003	968.0	Central nervous system muscle-tone depressants

---

**V0613 (T074) - Halothane Poison with Therapeutic E Code**

E Code Table 3006	E938.1	Therapeutic use of halothane
Relational Table 3003	968.1	Halothane

---

**V0614 (T075) - Other Gaseous Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.2	Therapeutic use of other gaseous anesthetics
Relational Table 3003	968.2	Other gaseous anesthetics

---

**V0615 (T076) - Intravenous Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.3	Therapeutic use of intravenous anesthetics
Relational Table 3003	968.3	Intravenous anesthetics

---

**V0616 (T077) - Other and Unspecified General Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.4	Therapeutic use of other and unspecified general anesthetics
Relational Table 3003	968.4	Other and unspecified general anesthetics

---

**V0617 (T078) - Surface/Infiltration Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.5	Therapeutic use of surface and infiltration anesthetics
Relational Table 3003	68.5	Surface and infiltration anesthetics

---



OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0618 (T079) - Peripheral Nerve-& Plexus-Blocking Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.6	Therapeutic use of peripheral nerve- and plexus-blocking anesthetics
-------------------	--------	--

Relational Table 3003	968.6	Peripheral nerve- and plexus-blocking anesthetics
-----------------------	-------	---

---

**V0619 (T080) - Spinal Anesthetic Poison with Therapeutic E Code**

E Code Table 3006	E938.7	Therapeutic use of spinal anesthetics
-------------------	--------	---------------------------------------

Relational Table 3003	968.7	Spinal anesthetics
-----------------------	-------	--------------------

---

**V0620 (T081) - Other and Unspecified Local Anesthesia Poison with Therapeutic E Code**

E Code Table 3006	E938.9	Therapeutic use of other and unspecified local anesthetics
-------------------	--------	--

Relational Table 3003	968.9	Other and unspecified local anesthetics
-----------------------	-------	---

---

**V0621 (T082) - Antidepressant Poison with Therapeutic E Code**

E Code Table 3006	E939.0	Therapeutic use of antidepressants
-------------------	--------	------------------------------------

Relational Table 3003	969.0	Antidepressants
-----------------------	-------	-----------------

---

**V0622 (T083) - Phenothiazine-based Tranquilizer Poison with Therapeutic E Code**

E Code Table 3006	E939.1	Therapeutic use of phenothiazine-based tranquilizers
-------------------	--------	--

Relational Table 3003	969.1	Phenothiazine-based tranquilizers
-----------------------	-------	-----------------------------------

---

**V0623 (T084) - Butyrophenone-based Tranquilizer Poison with Therapeutic E Code**

E Code Table 3006	E939.2	Therapeutic use of butyrophenone-based tranquilizers
-------------------	--------	--

Relational Table 3003	969.2	Butyrophenone-based tranquilizers
-----------------------	-------	-----------------------------------

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0624 (T085) - Other Antipsychotics & Major Tranquilizer Poison with Therapeutic E Code**

E Code Table 3006	E939.3	Therapeutic use of other antipsychotics, neuroleptics and major tranquilizers
Relational Table 3003	969.3	Other antipsychotics, neuroleptics and major tranquilizers

---

**V0625 (T086) - Benzodiazepine-Based Tranquilizer Poison with Therapeutic E Code**

E Code Table 3006	E939.4	Therapeutic use of benzodiazepine-based tranquilizers
Relational Table 3003	969.4	Benzodiazepine-based tranquilizers

---

**V0626 (T087) - Other Tranquilizer Poison with Therapeutic E Code**

E Code Table 3006	E939.5	Therapeutic use of other tranquilizers
Relational Table 3003	969.5	Other tranquilizers

---

**V0627 (T088) - Psychodysleptic Poison with Therapeutic E Code**

E Code Table 3006	E939.6	Therapeutic use of psychodysleptics [hallucinogens]
Relational Table 3003	969.6	Psychodysleptics [hallucinogens]

---

**V0628 (T089) - Psychostimulant Poison with Therapeutic E Code**

E Code Table 3006	E939.7	Therapeutic use of psychostimulants
Relational Table 3003	969.7	Psychostimulants

---

**V0629 (T090) - Other Psychotropic Agent Poison with Therapeutic E Code**

E Code Table 3006	E939.8	Therapeutic use of other psychotropic agents
Relational Table 3003	969.8	Other psychotropic agents

---

**V0630 (T091) - Unspecified Psychotropic Agent Poison with Therapeutic E Code**

E Code Table 3006	E939.9	Therapeutic use of unspecified psychotropic agent
Relational Table 3003	969.9	Unspecified psychotropic agent

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0631 (T092) - Analeptic Poison with Therapeutic E Code**

E Code Table 3006	E940.0	Therapeutic use of analeptics
Relational Table 3003	970.0	Analeptics

---

**V0632 (T093) - Opiate Antagonist Poison with Therapeutic E Code**

E Code Table 3006	E940.1	Therapeutic use of opiate antagonists
Relational Table 3003	970.1	Opiate antagonists

---

**V0633 (T094) - Other Central Nervous System Stimulant Poison with Therapeutic E Code**

E Code Table 3006	E940.8	Therapeutic use of other specified central nervous system stimulants
Relational Table 3003	970.8	Other specified central nervous system stimulants

---

**V0634 (T095) - Unspecified Central Nervous System Stimulant Poison with Therapeutic E Code**

E Code Table 3006	E940.9	Therapeutic use of unspecified central nervous system stimulant
Relational Table 3003	970.9	Unspecified central nervous system stimulant

---

**V0635 (T096) - Parasympathomimetic Poison with Therapeutic E Code**

E Code Table 3006	E941.0	Therapeutic use of parasympathomimetics [cholinergics]
Relational Table 3003	971.0	Parasympathomimetics [cholinergics]

---

**V0636 (T097) - Parasympatholytic Poison with Therapeutic E Code**

E Code Table 3006	E941.1	Therapeutic use of parasympatholytics [anticholinergics and antimuscarinics] and spasmodics
Relational Table 3003	971.1	Parasympatholytics [anticholinergics and antimuscarinics] and spasmodics

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0637 (T098) - Sympathomimetic Poison with Therapeutic E Code**

E Code Table 3006	E941.2	Therapeutic use of sympathomimetics [adrenergics]
Relational Table 3003	971.2	Sympathomimetics [adrenergics]

---

**V0638 (T099) - Sympatholytic Poison with Therapeutic E Code**

E Code Table 3006	E941.3	Therapeutic use of sympatholytics [antiadrenergics]
Relational Table 3003	971.3	Sympatholytics [antiadrenergics]

---

**V0639 (T100) - Unspecified Autonomic Nervous System Drug Poison with Therapeutic E Code**

E Code Table 3006	E941.9	Therapeutic use of unspecified drug primarily affecting the autonomic nervous system
Relational Table 3003	971.9	Unspecified drug primarily affecting the autonomic nervous system

---

**V0640 (T101) - Cardiac Rhythm Regulator Poison with Therapeutic E Code**

E Code Table 3006	E942.0	Therapeutic use of cardiac rhythm regulators
Relational Table 3003	972.0	Cardiac rhythm regulators

---

**V0641 (T102) - Cardiotonic Glycoside Poison with Therapeutic E Code**

E Code Table 3006	E942.1	Therapeutic use of cardiotonic glycosides and drugs of similar action
Relational Table 3003	972.1	Cardiotonic glycosides and drugs of similar action

---

**V0642 (T103) - Antilipemic and Antiarteriosclerotic Poison with Therapeutic E Code**

E Code Table 3006	E942.2	Therapeutic use of antilipemic and antiarteriosclerotic drugs
Relational Table 3003	972.2	Antilipemic and antiarteriosclerotic drugs

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0643 (T104) - Ganglion-blocking Agent Poison with Therapeutic E Code**

E Code Table 3006	E942.3	Therapeutic use of ganglion-blocking agents
Relational Table 3003	972.3	Ganglion-blocking agents

---

**V0644 (T105) - Coronary Vasodilator Poison with Therapeutic E Code**

E Code Table 3006	E942.4	Therapeutic use of coronary vasodilators
Relational Table 3003	972.4	Coronary vasodilators

---

**V0645 (T106) - Other Vasodilator Poison with Therapeutic E Code**

E Code Table 3006	E942.5	Therapeutic use of other vasodilators
Relational Table 3003	972.5	Other vasodilators

---

**V0646 (T107) - Antihypertensive Agent Poison with Therapeutic E Code**

E Code Table 3006	E942.6	Therapeutic use of other antihypertensive agents
Relational Table 3003	972.6	Other antihypertensive agents

---

**V0647 (T108) - Antivaricose Drug Poison with Therapeutic E Code**

E Code Table 3006	E942.7	Therapeutic use of antivaricose drugs, including sclerosing agents
Relational Table 3003	972.7	Antivaricose drugs, including sclerosing agents

---

**V0648 (T109) - Capillary-Active Drug Poison with Therapeutic E Code**

E Code Table 3006	E942.8	Therapeutic use of capillary-active drugs
Relational Table 3003	972.8	Capillary-active drugs

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0649** (T110) - Cardiovascular System Agent Poison with Therapeutic E Code

E Code Table 3006	E942.9	Therapeutic use of other and unspecified agents primarily affecting the cardiovascular system
Relational Table 3003	972.9	Other and unspecified agents primarily affecting the cardiovascular system

---

**V0650** (T111) - Antacid and Antigastric Secretion Drug Poison with Therapeutic E Code

E Code Table 3006	E943.0	Therapeutic use of antacids and antigastric secretion drugs
Relational Table 3003	973.0	Antacids and antigastric secretion drugs

---

**V0651** (T112) - Irritant Cathartic Poison with Therapeutic E Code

E Code Table 3006	E943.1	Therapeutic use of irritant cathartics
Relational Table 3003	973.1	Irritant cathartics

---

**V0652** (T113) - Emollient Cathartic Poison with Therapeutic E Code

E Code Table 3006	E943.2	Therapeutic use of emollient cathartics
Relational Table 3003	973.2	Emollient cathartics

---

**V0653** (T114) - Other Cathartic Poison with Therapeutic E Code

E Code Table 3006	E943.3	Therapeutic use of other cathartics, including intestinal atonia drugs
Relational Table 3003	973.3	Other cathartics, including intestinal atonia drugs

---

**V0654** (T115) - Digestant Poison with Therapeutic E Code

E Code Table 3006	E943.4	Therapeutic use of digestants
Relational Table 3003	973.4	Digestants

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0655 (T116) - Antidiarrheal Drug Poison with Therapeutic E Code**

E Code Table 3006	E943.5	Therapeutic use of antidiarrheal drugs
Relational Table 3003	973.5	Antidiarrheal drugs

---

**V0656 (T117) - Emetic Poison with Therapeutic E Code**

E Code Table 3006	E943.6	Therapeutic use of emetics
Relational Table 3003	973.6	Emetics

---

**V0657 (T118) - Gastrointestinal System Agent Poison with Therapeutic E Code**

E Code Table 3006	E943.8	Therapeutic use of other specified agents primarily affecting the gastrointestinal system
Relational Table 3003	973.8	Other specified agents primarily affecting the gastrointestinal system

---

**V0658 (T119) - Unspecified Gastrointestinal System Agent Poison with Therapeutic E Code**

E Code Table 3006	E943.9	Therapeutic use of unspecified agent primarily affecting the gastrointestinal system
Relational Table 3003	973.9	Unspecified agent primarily affecting the gastrointestinal system

---

**V0659 (T120) - Mercurial Diuretic Poison with Therapeutic E Code**

E Code Table 3006	E944.0	Therapeutic use of mercurial diuretics
Relational Table 3003	974.0	Mercurial diuretics

---

**V0660 (T121) - Purine Derivative Diuretic Poison with Therapeutic E Code**

E Code Table 3006	E944.1	Therapeutic use of purine derivative diuretics
Relational Table 3003	974.1	Purine derivative diuretics

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0661 (T122) - Carbonic Acid Anhydrase Inhibitor Poison with Therapeutic E Code**

E Code Table 3006	E944.2	Therapeutic use of carbonic acid anhydrase inhibitors
Relational Table 3003	974.2	Carbonic acid anhydrase inhibitors

---

**V0662 (T123) - Saluretic Poison with Therapeutic E Code**

E Code Table 3006	E944.3	Therapeutic use of saluretics
Relational Table 3003	974.3	Saluretics

---

**V0663 (T124) - Other diuretic Poison with Therapeutic E Code**

E Code Table 3006	E944.4	Therapeutic use of other diuretics
Relational Table 3003	974.4	Other diuretics

---

**V0664 (T125) - Electrolyte, Caloric, & Water Balance Poison with Therapeutic E Code**

E Code Table 3006	E944.5	Therapeutic use of electrolytic, caloric, and water balance agents
Relational Table 3003	974.5	Electrolytic, caloric, and water balance agents

---

**V0665 (T126) - Mineral Salt Poison with Therapeutic E Code**

E Code Table 3006	E944.6	Therapeutic use of other mineral salts
Relational Table 3003	974.6	Other mineral salts

---

**V0666 (T127) - Uric Acid Metabolism Drug Poison with Therapeutic E Code**

E Code Table 3006	E944.7	Therapeutic use of uric acid metabolism drugs
Relational Table 3003	974.7	Uric acid metabolism drugs

---



OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0667 (T128) - Oxytocic Agent Poison with Therapeutic E Code**

E Code Table 3006	E945.0	Therapeutic use of oxytocic agents
Relational Table 3003	975.0	Oxytocic agents

---

**V0668 (T129) - Smooth Muscle Relaxant Poison with Therapeutic E Code**

E Code Table 3006	E945.1	Therapeutic use of smooth muscle relaxants
Relational Table 3003	975.1	Smooth muscle relaxants

---

**V0669 (T130) - Skeletal Muscle Relaxant Poison with Therapeutic E Code**

E Code Table 3006	E945.2	Therapeutic use of skeletal muscle relaxants
Relational Table 3003	975.2	Skeletal muscle relaxants

---

**V0670 (T131) - Other & Unspecified Muscle Drug Poison with Therapeutic E Code**

E Code Table 3006	E945.3	Therapeutic use of other and unspecified drugs acting on muscles
Relational Table 3003	975.3	Other and unspecified drugs acting on muscles

---

**V0671 (T132) - Antitussive Poison with Therapeutic E Code**

E Code Table 3006	E945.4	Therapeutic use of antitussives
Relational Table 3003	975.4	Antitussives

---

**V0672 (T133) - Expectorant Poison with Therapeutic E Code**

E Code Table 3006	E945.5	Therapeutic use of expectorants
Relational Table 3003	975.5	Expectorants

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0673 (T134) - Anti-Common Cold Drug Poison with Therapeutic E Code**

E Code Table 3006	E945.6	Therapeutic use of anti-common cold drugs
Relational Table 3003	975.6	Anti-common cold drugs

---

**V0674 (T135) - Antiasthmatic Poison with Therapeutic E Code**

E Code Table 3006	E945.7	Therapeutic use of antiasthmatics
Relational Table 3003	975.7	Antiasthmatics

---

**V0675 (T136) - Other & Unspecified Respiratory Drug Poison with Therapeutic E Code**

E Code Table 3006	E945.8	Therapeutic use of other and unspecified respiratory drugs
Relational Table 3003	975.8	Other and unspecified respiratory drugs

---

**V0676 (T137) - Local Anti-Inflammatory Drug Poison with Therapeutic E Code**

E Code Table 3006	E946.0	Therapeutic use of local anti-infectives and anti-inflammatory drugs
Relational Table 3003	976.0	Local anti-infectives and anti-inflammatory drugs

---

**V0677 (T138) - Antipruritic Poison with Therapeutic E Code**

E Code Table 3006	E946.1	Therapeutic use of antipruritics
Relational Table 3003	976.1	Antipruritics

---

**V0678 (T139) - Local Astringent/Local Detergent Poison with Therapeutic E Code**

E Code Table 3006	E946.2	Therapeutic use of local astringents and local detergents
Relational Table 3003	976.2	Local astringents and local detergents

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0679 (T140) - Emollient, Demulcent, Protectant Poison with Therapeutic E Code**

E Code Table 3006	E946.3	Therapeutic use of emollients, demulcents, and protectants
Relational Table 3003	976.3	Emollients, demulcents, and protectants

---

**V0680 (T141) - Other Hair Treatment Drug Poison with Therapeutic E Code**

E Code Table 3006	E946.4	Therapeutic use of keratolytics, keratoplastics, other hair treatment drugs and preparations
Relational Table 3003	976.4	Keratolytics, keratoplastics, other hair treatment drugs and preparations

---

**V0681 (T142) - Eye Anti-Infective Drug Poison with Therapeutic E Code**

E Code Table 3006	E946.5	Therapeutic use of eye anti-infectives and other eye drugs
Relational Table 3003	976.5	Eye anti-infectives and other eye drugs

---

**V0682 (T143) - ENT Drug Poison with Therapeutic E Code**

E Code Table 3006	E946.6	Therapeutic use of anti-infectives and other drugs and preparations for ear, nose and throat
Relational Table 3003	976.6	Anti-infectives and other drugs and preparations for ear, nose and throat

---

**V0683 (T144) - Dental Drug Poison with Therapeutic E Code**

E Code Table 3006	E946.7	Therapeutic use of dental drugs topically applied
Relational Table 3003	976.7	Dental drugs topically applied

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0684** (T145) - Skin Drug Poison with Therapeutic E Code

E Code Table 3006	E946.8	Therapeutic use of other agents primarily affecting skin and mucous membrane
Relational Table 3003	976.8	Other agents primarily affecting skin and mucous membrane

---

**V0685** (T146) - Unspecified Skin Drug Poison with Therapeutic E Code

E Code Table 3006	E946.9	Therapeutic use of unspecified agent primarily affecting skin and mucous membrane
Relational Table 3003	976.9	Unspecified agent primarily affecting skin and mucous membrane

---

**V0686** (T147) - Dietetic Poison with Therapeutic E Code

E Code Table 3006	E947.0	Therapeutic use of dietetics
Relational Table 3003	977.0	Dietetics

---

**V0687** (T148) - Lipotropic Drug Poison with Therapeutic E Code

E Code Table 3006	E947.1	Therapeutic use of lipotropic drugs
Relational Table 3003	977.1	Lipotropic drugs

---

**V0688** (T149) - Antidote and Chelating Agent Poison with Therapeutic E Code

E Code Table 3006	E947.2	Therapeutic use of antidotes and chelating agents
Relational Table 3003	977.2	Antidotes and chelating agents

---

**V0689** (T150) - Alcohol Deterrent Poison with Therapeutic E Code

E Code Table 3006	E947.3	Therapeutic use of alcohol deterrents
Relational Table 3003	977.3	Alcohol deterrents

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0690** (T151) - Pharmaceutical Excipient Poison with Therapeutic E Code

E Code Table 3006	E947.4	Therapeutic use of pharmaceutical excipients
Relational Table 3003	977.4	Pharmaceutical excipients

---

**V0691** (T152) - Medicinal Substance Poison with Therapeutic E Code

E Code Table 3006	E947.8	Therapeutic use of other drugs and medicinal substances
Relational Table 3003	977.8	Other drugs and medicinal substances

---

**V0692** (T153) - Unspecified Medicinal Substance Poison with Therapeutic E Code

E Code Table 3006	E947.9	Therapeutic use of unspecified drug or medicinal substance
Relational Table 3003	977.9	Unspecified drug or medicinal substance

---

**V0693** (T154) - BCG Vaccine Poison with Therapeutic E Code

E Code Table 3006	E948.0	Therapeutic use of BCG vaccine
Relational Table 3003	978.0	BCG vaccine

---

**V0694** (T155) - Typhoid and Paratyphoid Vaccine Poison with Therapeutic E Code

E Code Table 3006	E948.1	Therapeutic use of typhoid and paratyphoid vaccine
Relational Table 3003	978.1	Typhoid and paratyphoid vaccine

---

**V0695** (T156) - Cholera Vaccine Poison with Therapeutic E Code

E Code Table 3006	E948.2	Therapeutic use of cholera vaccine
Relational Table 3003	978.2	Cholera vaccine

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0696 (T157) - Plague Vaccine with Therapeutic E Code**

E Code Table 3006	E948.3	Therapeutic use of plague vaccine
Relational Table 3003	978.3	Plague vaccine

---

**V0697 (T158) - Tetanus Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E948.4	Therapeutic use of tetanus vaccine
Relational Table 3003	978.4	Tetanus vaccine

---

**V0698 (T159) - Diphtheria Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E948.5	Therapeutic use of diphtheria vaccine
Relational Table 3003	978.5	Diphtheria vaccine

---

**V0699 (T160) - Pertussis Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E948.6	Therapeutic use of pertussis vaccine, including combinations with a pertussis component
Relational Table 3003	978.6	Pertussis vaccine, including combinations with a pertussis component

---

**V0700 (T161) - Other Bacterial Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E948.8	Therapeutic use of other and unspecified bacterial vaccines
Relational Table 3003	978.8	Other and unspecified bacterial vaccines

---

**V0701 (T162) - Mixed Bacterial Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E948.9	Therapeutic use of mixed bacterial vaccines, except combinations with a pertussis component
Relational Table 3003	978.9	Mixed bacterial vaccines, except combinations with a pertussis component

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0702** (T163) - Smallpox Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.0	Therapeutic use of smallpox vaccine
Relational Table 3003	979.0	Smallpox vaccine

---

**V0703** (T164) - Rabies Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.1	Therapeutic use of rabies vaccine
Relational Table 3003	979.1	Rabies vaccine

---

**V0704** (T165) - Typhus Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.2	Therapeutic use of typhus vaccine
Relational Table 3003	979.2	Typhus vaccine

---

**V0705** (T166) - Yellow Fever Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.3	Therapeutic use of yellow fever vaccine
Relational Table 3003	979.3	Yellow fever vaccine

---

**V0706** (T167) - Measles Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.4	Therapeutic use of measles vaccine
Relational Table 3003	979.4	Measles vaccine

---

**V0707** (T168) - Poliomyelitis Vaccine Poison with Therapeutic E Code

E Code Table 3006	E949.5	Therapeutic use of poliomyelitis vaccine
Relational Table 3003	979.5	Poliomyelitis vaccine

---

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED**  
(See guideline on page 461)

---

**V0708 (T169) - Viral and Rickettsial Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E949.6	Therapeutic use of other and unspecified viral and rickettsial vaccines
-------------------	--------	---

Relational Table 3003	979.6	Other and unspecified viral and rickettsial vaccines
-----------------------	-------	--

---

**V0709 (T170) - Mixed Viral and Bacterial Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E949.7	Therapeutic use of mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component
-------------------	--------	---

Relational Table 3003	979.7	Mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component
-----------------------	-------	--

---

**V0710 (T171) - Unspecified Vaccine Poison with Therapeutic E Code**

E Code Table 3006	E949.9	Therapeutic use of other and unspecified vaccines and biological substances
-------------------	--------	---

Relational Table 3003	979.9	Other and unspecified vaccines and biological substances
-----------------------	-------	--

---

References: ICD-9-CM Coding Handbook with Answers, AHA, 1991, Faye Brown, RRA, page 333; 1994, pages 358-359, 361, 363; 1996, pages 341, 343.

Coding Clinic for ICD-9-CM, AHA, Nov-Dec 1984, page 14; 2nd Quarter 1990, pages 10-12; Official Coding Guidelines 2.14, 9.1, and 9.2.

Journal of CHIA, Feb 85 pg 9; Jan 86 pg 11; Apr 90, pg 15; Feb 95 pg 4.



OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

+

**PLACE OF OCCURRENCE CODE NEEDED**

(No longer a coding edit V0711, instead it is an OSHPD edit within California)

Guidelines: The ICD-9-CM codebook states: *Place of Occurrence* category E849 is to denote the place where the accident or poisoning occurred.

The California Code of Regulations (for inpatient discharges) states: If the first E code does not include a description of the place of occurrence of the most severe injury or poisoning, an additional E code shall be reported to designate the place of occurrence, if available in the medical record.

A code from category E849 can only be used as a secondary E code because its italicized code can never be principal diagnosis or principal E code.

As a LAST resort, if there is no documentation where the injury or poisoning occurred, then report E849.9 for unspecified place of occurrence. **This guideline overrides the coding guidelines 11.2 (2) in the Coding Clinic, 4th Quarter 1995, page 34.**

+

Inclusive Check (if no match, error)

E Code Table 3006:	E850-E869	Accidental poisoning by drugs, medicinal substances, and biologicals
	E870-E876	Misadventures to patients during surgical and medical care
	E878-E879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure
	E880-E888	Accidental falls
	E890-E899	Accidents caused by fire and flames
	E900-E909	Accidents due to natural and environmental factors
	E910-E915	Accidents caused by submersion, suffocation, and foreign bodies
	E916-E928	Other accidents
	E930-E949	Drugs, medicinal and biological substances causing adverse effects in therapeutic use
	E950-E958	Suicide and self-inflicted injury
	E960-E968	Homicide and injury purposely inflicted by other persons
	E970-E976 and E978	Legal interventions

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

+ **PLACE OF OCCURRENCE CODE NEEDED** - CONTINUED (see page 490)

(No longer a coding edit V0711, instead it is an OSHPD edit within California)

-----  
+ Inclusive Check (if no match, error) - continued  
-----

Relational Table 3003	<i>E849.0</i>	<i>Home</i>
	<i>E849.1</i>	<i>Farm</i>
	<i>E849.2</i>	<i>Mine and quarry</i>
	<i>E849.3</i>	<i>Industrial place and premises</i>
	<i>E849.4</i>	<i>Place for recreation and sport</i>
	<i>E849.5</i>	<i>Street and highway</i>
	<i>E849.6</i>	<i>Public building</i>
	<i>E849.7</i>	<i>Residential institution</i>
	<i>E849.8</i>	<i>Other specified places</i>
	<i>E849.9</i>	<i>Unspecified place (LAST RESORT)</i>

-----

References: ICD-9-CM Codebook, Tabular Section, Coding Notes under Category E849.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1991, page 82.

Title 22, California Code of Regulations, Division 7, Chapter 10 Health Facility Data, Article 8 Discharge Data Reporting Requirements.

Journal of CHIA, Apr 90, pg 15; Apr 96, page 9.

Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, Official Guidelines for Coding and Reporting Causes of Injuries, Poisonings, and Adverse Effects of Drugs, Item #11.2, page 34.

**California Code of Regulations in Title 22 overrides Coding Clinic's Item #11.2.**

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0712      *PLACE OF OCCURRENCE - SOME ARE ILLOGICAL TO USE FOR NEWBORNS BORN IN HOSPITAL***

Guideline:      *Place of Occurrence* category is for use to denote the place where the accident or poisoning occurred. It is illogical to report certain *places of occurrence E849.x* for newborns born in the hospital.

-----  
V0712      Exclusive check (if match, error) - T172  
-----

E Code Table 3506	<i>E849.0</i>	<i>Home</i>
	<i>E849.1</i>	<i>Farm</i>
	<i>E849.2</i>	<i>Mine and Quarry</i>
	<i>E849.3</i>	<i>Industrial Place and Premises</i>
	<i>E849.4</i>	<i>Place for Recreation and Sport</i>
	<i>E849.5</i>	<i>Street and Highway</i>
	<i>E849.6</i>	<i>Public Building</i>
	<i>E849.8</i>	<i>Other Specified Places</i>
	<i>E849.9</i>	<i>Unspecified Place</i>
Relational Table 3003	V30.0x	Single liveborn, born in hospital
	V31.0x	Twin, mate liveborn, born in hospital
	V32.0x	Twin, mate stillborn, born in hospital
	V33.0x	Twin, unspecified, born in hospital
	V34.0x	Other multiple liveborn, mates all liveborn, born in hospital
	V35.0x	Other multiple liveborn, mates all stillborn, born in hospital
	V36.0x	Other multiple liveborn, mates live- and stillborn, born in hospital
	V37.0x	Other multiple liveborn, unspecified, born in hospital
	V39.0x	Liveborn, unspecified, born in hospital

-----  
References:      None

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT  
Illogical E Code Relationships

**V0713            MALTREATMENT E CODE NEEDED**

Guideline:        When the cause of an injury is stated to be a maltreatment to a child or adult, an E967 code identifying the perpetrator is needed, if this is the first inpatient admission.

-----  
V0713            Inclusive check (if no match, error) - E002  
-----

Diagnosis Table 3005	995.5x	Child maltreatment/abuse
	995.8x	Adult maltreatment/abuse

Relational Table 3003	E967.x	Perpetrator in child and adult battering
-----------------------	--------	--

-----

References:        Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, E coding guidelines, page 39.

ICD-9-CM Codebook, Tabular Section, Coding instructions under subcategories 995.5 and 995.8.

\*\*\*

**STOP!!!**

**V0714 to V0900 NOT IN USE**